



GENERAL SPECIFICATIONS*

• L.O.A**:	8,23 m	27'
• Hull length:	6,99 m	22'11"
• Overall width:	2,79 m	9'2"
• Beam:	2,76 m	9'1"
• Light displacement without engine:	1 985 kg	4,375 lbs
• Light displacement (EC):	2 269 kg	5,001 lbs
• Air draught:	2,33 m	7'8"
• Draught min/max:	0,60 - 0,80 m	2' - 2'7"
• Fuel capacity:	280 L	74 US Gal
• Freshwater capacity:	100 L	26 US Gal
• Maximum engine power:	147 Kw - 200 HP	200 HP
• Length - Driving shaft:	XL 635mm	25'

** with options

ARCHITECTS / DESIGNERS*

- Development: Bénéteau POWERBOATS

CE CERTIFICATION*

- Category C - 9 people
- Category D - 9 people

* Provisional specifications, boat in process of certification.



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Winching ring on bow
- Injection moulded hull

DECK

Composition:

- Sandwich (Polyester resin - Glass fiber - Balsa core)
- White gel coat
- Partial deck counter-mould
- Grey protection rail on the hull-deck joint
- Wheelhouse roof in white gel coat

DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- Bi-colour navigation light

MOORING LINES - MOORING

- Bow fitting
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminium, 200 mm / 8"
- 2 Cleats amidships in aluminum, 200 mm / 8"
- 2 Aft cleats in aluminium, 200 mm / 8"

SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- Asymmetric catwalks
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

COCKPIT

- Self-bailing cockpit
- Sliding aft bench seat, 3 place
- Additional cockpit fittings (see optional extras)
- Lockers in cockpit bottom:
 - 1 Large central lockable chest with gas piston assisted opening
 - 2 Optional lockers in bench seats (option)
- 2 Rod holders
- Lighting from 1 ceiling light
- (280 L / 74 US Gal) hermetic and ventilated rotomoulded fuel tank, in the back of cockpit locker
- Fuel deck filler on stern deck
- Starboard bath access
- Security door
- Telescopic swimming ladder

INTERIOR

- Interior upholstery: Commando Monument
- Woodwork Alpi Noyer
- Brown oak laminated floors - Part in polyester

WHEELHOUSE

Headroom: 2,05 m / 6'9"

- Wheelhouse with one-piece translucent glass windscreen
- Side windows in grey-tinted (translucent glass)
- Opening starboard side windows
- 2 leaf aft window door in translucent PMMA
- Anodized aluminium frame with lock
- 1 Electric windscreen wipers

STEERING STATION (TO STARBOARD)

- Pilot console with space for electronics
- Steering compass
- Rev counter
- Fuel and engine gauge indicator
- 12 V socket
- Luxe steering wheel
- Encased side engine control (Engine controls and counters supplied with pre-rigging)
- Adjustable, swivelling Bolster function driver's seat, PVC Diamante Taupe upholstery
- Pilot footrests
- Lighting from 1 ceiling light
- Hydraulic steering

GALLEY (TO STARBOARD)

- Kitchen with polyester sink, tap on hose for inside/outside use
- Pressured cold water
- Options:
 - Compartment for refrigerator (42 L)
 - space for cooker (Gas)

SALOON

Headroom: 2,02 m / 6'8"

- Inward-facing saloon convertible into a bed (option) (Length = 2 m / 6'7" - Beam = 0,92 m / 3')
- Copilot seat with swivelling seat back (navigation / saloon positions)
- Table Alpi Noyer
- Storage lockers under side seating
- Lighting from 1 ceiling light
- Battery master switch under the aft seat

HEAD

Headroom: 1,38 m / 4'6"

- Closed cabinet under steering station for storage space or toilet (optional extra: Marine toilet with sewage tank)
- Door
- Lighting from 1 ceiling light

FORWARD CABIN

Headroom: 1,10 m / 3'7"

- Double berth (Length max = 2 m / 6'7" - Beam max = 1,65 m / 5'5")
- Storage lockers
- Lighting from 1 ceiling light
- Opening deck hatch, in the cabin

ELECTRICITY

- 6 function 12 V electrical panel
- 12 V socket
- 2 Bilge pumps: 1 Manual pump - 1 Electric pump
- Battery switch located in compartment under the aft saloon seat
- Navigation lights = 1 all-round light on collapsible samson post - Bi-colour navigation light
- Lighting from 4 ceiling lights
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

PLUMBING

- 100 L / 26 US Gal Rigid water tank
- Water pump for pressure building

TRIM LEVEL

	CONFORT	NORDIC
• Cockpit saloon with aluminium support and sun deck	■	■
• Wood cockpit table	■	■
• 2 Cup holders, in cockpit	■	■
• Cockpit exterior cushions	■	■
• Cockpit shower	■	■
• 42 L refrigerator + Installation for additional battery 12 V 110 Ah (battery not delivered)	■	■
• Interior curtains	■	■
• second Wiper + Windscreen washer	■	■
• Port side sliding side window	■	■
• Full 220 V electrical circuit + Battery charger	■	
• No bow fitting		■
• Marine toilet with 88 L / 23 sewage tank		■
• 2 Opening portholes (Cabin + Toilets)		■
• Sliding wheelhouse hatch with blackout curtains		■

OPTIONS

PACK

ELECTRONIC - 2017 PACK

- LOWRANCE Elite Ti 7" Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

ELECTRONIC - UPGRADED 2017 PACK

- LOWRANCE HDS 7" Touch GEN3 Multifunction screen (chart not included)
- LOWRANCE HDI Sensor

SOUND 2017 PACK

- Fusion MS-RA205
- 50 W speakers x 2



BENETEAU

Antares 8 OB

Provisional General Equipment

OTHER OPTIONS

- Electric windlass (700 W)
- Cockpit saloon with aluminium support and sun deck
- Wood cockpit table
- Marine toilet with 64 L / 17 US Gal sewage tank
- Cockpit wheelhouse cover (Graphite)
- Aft cockpit closing (Graphite)
- Complete mooring kit
- Blue-grey hull
- Full 220 V electrical circuit + Battery charger
- 220 V / 50 Hz Air conditioning (On shore power socket)
- 2nd driving controls, in the cockpit
- Interior curtains
- 42 L refrigerator
- Sliding wheelhouse hatch with blackout curtains
- Bow ladder (replacing the bow fitting)
- Overhang sternhead with swimming ladder
- Extended swim platform
- Bathing platforms in teak
- Solid wood cockpit
- Forward sun deck
- Bow thruster (battery not delivered)
- Pump for deck washing
- Water heater of 25 L on the shore power socket
- Gas cooker (with work top)
- Additional berths in the saloon
- Transom sensor TotalScan Lowrance (replacing the sensor HDI)
- Pre-rigging Honda mecanic side (1 x 115-200 hp)
- Pre-rigging Suzuki mecanic side (1 x 115-200 hp)
- Pre-rigging Suzuki electronic side (1 x 150-200 hp)
- Pre-rigging Mercury mecanic (1 x F150 hp)
- Pre-rigging Mercury (1 x 150-200 hp Verado)
- Pre-rigging Yamaha mecanic side (1 x 150 hp)
- Pre-rigging Yamaha electronic side (1 x 200 hp)



America/Export: Please note that electric power and appliances may be different and/ or not offered on standard or on option. They would be adapted locally by your dealer.